

- (20 points) You design the 2-layer fully connected neural network shown in Figure 1. All activations are sigmoids and your optimizer is stochastic gradient descent. The loss function is $(\hat{y} - y)^2$ in the network.




Figure 1: Simple deep network with sigmoid activations

- (10 points) Draw the computation graph for this example.
 - (5 points) Compare how Caffe and TensorFlow would implement this example.
 - (5 points) Compare the assignment of CPU/GPU processors for Caffe and TensorFlow.
- (20 points) We have a deep network with input x , target label t output y , hidden nodes z , and loss \mathcal{L} defined by the following:

$$\begin{aligned} h &= Wx + b \\ \hat{y} &= \text{ReLU}(h) \\ \mathcal{L} &= 1/2(y - t)^2 \end{aligned}$$

where $\text{ReLU}(x)$ is $\max(0, x)$ for $x > 0$ and 0 otherwise. See the neural network shown in Figure 2

- (10 points) Draw the computation graph for this example.
- (5 points) If we initialise $W = 0$, $b = 0.5$ and input $x = [1 \ 1 \ 0]^T$ with target $t = 2$, compute the loss for this network.
- (5 points) Compute how the weights W , b are updated for a learning rate $\eta = 1$ for this first iteration of backpropagation.




Figure 2: Simple deep network with sigmoid activations